F	Application No.		Applicant(s)	
Notice of Allowability	09/904,570		JOKSCHAS, GUENTER	
	Examiner		Art Unit	
	Matthew O S	avage	1723	
Notice of Allowability Examiner Art Unit				
<ul> <li>8. CORRECTED DRAWINGS must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No</li> <li>(b) including changes required by the proposed drawing correction filed, which has been approved by the Examiner.</li> </ul>				
(c) 🔲 including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.				
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)			,	
<ul> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statements (PTO-1449), Paper No</li></ul>		4☐ Interview Summ 6☐ Examiner's Ame	al Patent Application ( ary (PTO-413), Paper Indment/Comment ement of Reasons for	No

Page 2

Application/Control Number: 09/904,570

Art Unit: 1723

The following is an examiner's statement of reasons for allowance:

Bolser is considered the closest prior art, however, Bolser fails to teach or suggest the limitation of an intermediate metal spring plate cooperating with the housing to brace the lower spacer against the filter insert as recited in instant claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew O Savage whose telephone number is 703-308-3854. The examiner can normally be reached on Monday-Friday, 7:00am-3:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda W. Walker can be reached on 703-308-0457. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

> M. Savoge Matthew O Savage **Primary Examiner** Art Unit 1723

mos October 17, 2003